



Technical specification



place where you will
get noticed



- Vstupní hala I / Entrance Hall I
- Vstupní hala II / Entrance Hall II
- Vstupní hala III / Entrance Hall III
- Kongresový sál (1. patro Vstupní haly I a III)
Congress Hall (1st floor in the Entrance Hall I and III)
- Konferenční sály ve Vstupní hale II (sály 1, 3)
Conference rooms in the Entrance Hall II (conference rooms 1, 3)
- Konferenční sál 4 (přízemí Vstupní haly III)
Conference room 4 (ground floor of the Entrance Hall III)
- Konferenční sály (přízemí Vstupní haly I)
Conference rooms (ground floor of the Entrance Hall I)
- Informace / Informations
- Registrace / Registration
- Parkoviště / Parking Area
- Grafický a veletržní servis CREATIV EXPO
Graphic and Exhibition Service CREATIV EXPO
- Bankomat / ATM Machine
- Šatna / Cloakroom
- WC
- První pomoc / First Aid
- Press centrum / Press Centre
- Business centrum / Business Centre
- Kavárna / Café
- Restaurace / Restaurant




HALL CAPACITY				
		THEATRE	SCHOOL	BANQUET
Hall 1	4000 m ²	3000	1800	1300
Hall 2	4000 m ²	3000	1800	1300
Hall 2D	800 m ²	600	360	270
Hall 3	4000 m ²	3000	1800	1300
Hall 4	4200 m ²	3100	1900	1400
Hall 5AB	2600 m ²	1900	1200	850
Hall 5CD	2400 m ²	1800	1100	800
Hall 6	4000 m ²	3000	1800	1300
Hall 7	4000 m ²	3000	1800	1300
Hall 8	1170 m ²	850	530	390
Congress Hall 1 EHIII	600 m ²	600	280	380
Congress Hall 2 EHI	600 m ²	600	280	380
Foyer	480 m ²			
Conference Room 1	208 m ²	150	70	100
Conference Room 3	48 m ²	30	x	x
Conference Room 4	100 m ²	60	x	x
Conference Room 5	45 m ²	35	x	x
Conference Room 6	50 m ²	35	x	x
Conference Room 7	300 m ²	200	80	100

DIMENSIONS OF HALLS in PVA EXPO PRAGUE				
Building	Gross area	Inner hall dimensions	Inner side height of the hall	Inner central height of the hall
Entrance Hall I	1600 m ²	40 x 40 m	11 m	5 m (build-in floor level)
Entrance Hall II	2700 m ²	30 x 90 m	3,5 m	7,5 m
Entrance Hall III	1600 m ²	40 x 40 m	11 m	5 m (build-in floor level)
Hall 1	4000 m ²	40 x 100 m	9 m	9 m
Hall 2	4000 m ²	40 x 100 m	9 m	9 m
Hall 2D	800 m ²	40 x 20 m	9 m	9 m
Hall 3	4000 m ²	40 x 100 m	9 m	9 m
Hall 4	4200 m ²	40 x 105 m	9 m	9 m
Hall 5	5000 m ²	40 x 125 m	9 m	9 m
Hall 6	4000 m ²	40 x 100 m	9 m	9 m
Hall 7	4000 m ²	40 x 100 m	4,5 m	4,5 m
Hall 8	1170 m ²	30 x 39 m	3,5 m	7,5 m

ENTRANCE HALL I


GROUND FLOOR



ENTRANCE HALL I	
Gross Area	1 600 m ²
Clearance Height	5 m
Technical Entry	From Hall 1
Entry for Personnel and Visitors	Double leaf doors
Floor	Industrial concrete slab
Allowable Bearing Capacity of the Floor	800–1 500 kg/m ² (capacity can be technologically increased, according to requirements of the exhibits)
Installation upon request	connections of water, electric current, internet
Lighting	natural light (glass walls), artificial lights - LED
Heating	air-conditioning
Other Equipment	toilets
	fixed Installation of cafe
	digital advertising panels, information counter

ENTRANCE HALL I – CONFERENCE ROOMS

GROUND FLOOR



CONFERENCE ROOM 5	
Total area	45 m ² (4,5 × 10 m)
Surface area	carpet
Installation	electrical connection 230 V current, internet
Equipment	10 pcs tables, 10 pcs chairs
AV technology	65" 4K screen and sound system, 1 pc hand microphone, 1 pc headset

CONFERENCE ROOM 6	
Total area	50 m ² (5 × 10 m)
Surface area	carpet
Installation	electrical connection 230 V current
Equipment	10 pcs tables, 10 pcs chairs
AV technology	65" 4K screen and sound system 1 pc hand microphone, 1 pc headset

VIP ROOM	
Total area	17,4 m ² (2,9 × 6 m)
Surface area	carpet
Installation	electrical connection 230 V current, internet
Equipment	1 pc table, 8 pcs armchairs

CONFERENCE ROOM 7	
Total area	300 m ² (20 × 15 m)
Surface area	carpet
Installation	electrical connection current
Equipment	podium 3x 10 m, 2 pcs tables, 4 pcs chairs, max. 200 chairs incl. theater arrangement
AV technology	Projection: 2x SONY projectors, 1920 × 1080, 5800 ANSI 2x Screens, 4 × 2.25 m, 16:9 43" preview monitor Projection laptop Sound System: 8x PS-P83T speakers 2x PS-P83WT subwoofers SoundCraft Ui16 mixing console DSP 2-750 MKII amplifier 2x Handheld wireless microphones 2x Wireless headset microphones Lighting: 8x TMH-H240 lights

ENTRANCE HALL I – FOYER OF THE CONGRESS HALL 2


1ST FLOOR



CONGRESS HALL 2



CONGRESS HALL 2



1ST FLOOR

CONGRESS HALL 2

- Congress hall 600 m², foyer 480 m²
- Congress hall with a capacity of up to 600 people, theater, school, banquet arrangement possibilities
- strategically located on the floor in the Entrance Hall I between Halls 1 and 6, possibility of further connection with exhibition halls
- a generous foyer suitable for banquet celebrations, accompanying program and partner presentation stands
- daylight with the possibility of shading
- air conditioning
- barrier-free access
- large-capacity toilets in the foyer

AV EQUIPMENT IN CONGRESS HALL 2 IN EHI*

PROJECTION:

- 6 × 3.5 m LED screen, Full HD 1920 × 1080, 2.8 mm pixel pitch
- Preview monitor
- Projection laptop

SOUND SYSTEM:


- 2× EAW NT59 active speakers, 1500 W RMS
- 16× AUDAC ceiling speakers
- 8× BOSCH foyer speakers
- 3× Handheld wireless microphones
- 2× Wireless headset microphones

LIGHTING:

- 4× Stage lights
- 6× GLP Impression


*basic equipment

ENTRANCE HALL II



ENTRANCE HALL II	
Gross Area	2 700 m ²
Clearance Height of the Building	lateral 3.5 m, middle 7.5 m
Technical Driveway	from the Hall 8
Personnel and Visitor Entrances	sliding and double leaf doors
Floor	interlocking tiles, ceramic tiles
Allowable Bearing Capacity of the Floor	800–1 500 kg/m ² (capacity can be technologically increased, according to requirements of the exhibits)
Installation after Consultation	connections of water, electric current, compressed air, telephone, internet
Lighting	natural light (glass walls), artificial lights - LED
Heating	hot water
Ventilation of Halls	yes
Other Equipment	fixed installation of restaurant and coffe shop conference center, press center, business center toilets, cloakroom registration with background - offices, Information counter ATM digital advertising panels copy center radio switchboard the insurance company emergency room


ENTRANCE HALL II – CONFERENCE ROOMS



CONFERENCE ROOM 1	
Total Area	208 m ² (16 x 13 m)
The Area Surface	carpet
Installation	connections of electricity
Equipment	podium, lecture stand, chairs
AV equipment	Projection: Panasonic PT-VZ585 projector, 1920 × 1200, 5000 ANSI 3.2 × 2 m screen, 16:10 Projection laptop Sound system: 2 active speakers SoundCraft Ui16 mixing console 2 handheld wireless microphones 2 wireless headset microphones

CONFERENCE ROOM 3	
Total Area	48 m ² (7,5 x 6,4 m)
The Area Surface	PVC
Installation	connections of electricity (230 V), internet
Equipment	tables, chairs


ENTRANCE HALL III



GROUND FLOOR

ENTRANCE HALL III	
Gross Exhibition area	1 600 m²
Clearance Height	5 m
Technical Entry	From Hall 3
Floor	industrial concrete slab
Allowable Bearing Capacity of the Floor	800–1 500 kg/m² (capacity can be technologically increased, according to requirements of the exhibits)
Installation	connections of water, electric current, internet
Lighting	natural light (glass walls), artificial light - LED
Heating	hot air, air-conditioning (Congress Hall)
Ventilation	Yes – Multifunctional room
Additional equipment	Fixed restaurant and coffee place
	Toilets, Cloakroom
	Information counter
	digital advertising panels



CONGRESS HALL 1





1ST FLOOR



CONGRESS HALL 1	AV TECHNOLOGY IN CONGRESS HALL *)
• Congress hall 600 m², foyer 480 m² • Congress hall with a capacity of up to 600 people, theatre, school, banquet arrangement possibilities • strategically located on the floor in Entrance Hall III between Halls 3 and 4, possibility of further connection with exhibition halls • a generous foyer suitable for banquet celebrations, accompanying program and partner presentation stands • modern audio visual technology, widescreen HD projection • the possibility of using the most modern mapping • daylight with the possibility of shading • air conditioning • barrier-free access • large walk-through background behind the stage, dressing room, storage boxes, lift (door width 90 cm)	PROJECTION: • Panasonic projector, WUXGA 1920 × 1080, 10,000 ANSI • Screen: 6 × 3.6 m • Projection laptop SOUND SYSTEM: • 6× Front active line array speakers • 2× Rear active line array speakers • 2× 18" active subwoofers • 2× Handheld wireless microphones • 2× Wireless headset microphones STAGE LIGHTING: • 8× 1000 W Fresnel spotlights • 2× 750 W profile spotlights

*) basic equipment







HALL 1 HALL 6	
Gross Exhibition area	4 000 m ²
Clearance Height of the Building	lateral 9 m, middle 9 m
Profiles of Entries	double leaf doors and rolling gate
Floor	industrial polished concrete slab with the gutters, the slope of 1/140 of the length of the hall
Allowable Bearing Capacity of the Floor	800–1 500 kg/m ² (capacity can be technologically increased, according to requirements of the exhibits)
Installation	connections of water, electric current, compressed air, telephone, internet
Lighting	20% natural light – ceiling skylights; artificial light – LED
Heating	hot air gas heating
Ventilation	yes





HALL 2 HALL 2D HALL 5	
Gross Exhibition Area	Hall 2: 4 000 m ² Hall 2D: 800 m ² Hall 5: 5 000 m ² (divided into sectors AB 40 m x 65 m and CD 40 m x 60 m)
Clearance Height of the Building	9 m across the entire width
Profiles of Entries	double leaf doors and rolling gate
Floor	industrial polished plastic-concrete slab with gutters, the slope of 1/140 of the length of the hall
Allowable Bearing Capacity of the Floor	800–1 500 kg/m ² (capacity can be technologically increased, according to requirements of the exhibits)
Installation	connections of water, electric current, compressed air, telephone, internet
Lighting	Hall 2: 20% natural light – ceiling skylights; artificial light – LED
	Hall 2D: 35% natural light – ceiling skylights; artificial light – LED
	Hall 5: 20% natural light – ceiling skylights; artificial light – LED
Heating	hot air gas heating
Ventilation	yes

HALL 3 | HALL 4




HALL 3 HALL 4	
Gross Exhibition Area	4 000 m² + 4 200 m²
Clearance Height of the Building	9 m across the entire width
Profiles of Entries	double leaf doors and rolling gate
Floor	industrial with gently structural COMFLOOR surface, with gutters; the slope of 1/140 of the length of the hall
Allowable Bearing Capacity of the Floor	800–1 500 kg/m² (capacity can be technologically increased, according to requirements of the exhibits)
Installation	connections of water, electric current, compressed air, telephone, internet
Lighting	20% natural light – ceiling skylights; artificial light – LED
Heating	hot air gas heating
Ventilation	yes

HALL 7



HALL 7	
Gross Exhibition Area	4 000 m²
Clearance Height of the Building	4,5 m
Profiles of Entries	double leaf doors and rolling gate 1x
Floor	industrial polished plastic-concrete slab with gutters
Allowable Bearing Capacity of the Floor	800–1 500 kg/m² (capacity can be technologically increased, according to requirements of the exhibits)
Installation	connections of water, electric current, compressed air, telephone, internet
Lighting	25% natural light – ceiling skylights; artificial light – fluorescent lights
Heating	hot air
Ventilation	yes


HALL 8



HALL 8	
Gross Exhibition Area	1 170 m ²
Clearance Height of the Building	lateral 3.5 m, middle 7 m
Profiles of Entries	double leaf doors and rolling gate
Floor	industrial polished plastic-concrete slab with the gutters, the slope of 1/140 of the length of the hall
Allowable Bearing Capacity of the Floor	800–1 500 kg/m ² (capacity can be technologically increased, according to requirements of the exhibits)
Installation	connections of water, electric current, compressed air, telephone, internet
Lighting	20% natural light – ceiling skylights; artificial light – fluorescent lights
Heating	hot air
Ventilation	yes

OUTDOOR AREA

OUTDOOR AREA		
	TOTAL GROSS AREA	THE AREA SURFACE
Outdoor area 1V	3 600 m ²	interlocking tiles
Outdoor area 2V	1 330 m ²	interlocking tiles
Outdoor area 3V	800 m ²	combination of gravel and interlocking tiles
Parking area P1	3 000 m ²	hardened surface
Parking area P2	6 400 m ²	combination of asphalt and interlocking tiles
Parking area P3	55 000 m ²	gravel and grass area



EXHIBITION SITE PARTNERS



MEMBERSHIP



PVA EXPO PRAHA
Beranových 667
199 00 Praha 9 – Letňany

info@pvaexpo.cz
www.pvaexpo.cz